


PTS-2 forecourt controller

PTS-2 forecourt controller is a powerful modern forecourt controller for provision of control over petroleum, LPG and CNG dispensers and meters, automatic tank gauge systems and probes, price signs, RFID readers. PTS-2 controller knows communication protocols of a great variety of dispensers, ATG systems and probes, price boards and readers allowing to control over any of them in a common way regardless of the brand or communication protocol used, so using the PTS-2 controller any management system (POS system, OPT, mobile application) can use a common way for provision of control over any supported brands in the same way. PTS-2 controller leads internal database for pumps sales and tanks measurements, it allows to generate reports using a web browser and also can automatically upload all the registered records to any cloud server, allowing to easily remotely receive all detailed reports from the petrol stations and petroleum depots. Its dimensions are extremely small with a size of a credit card, which makes its suitable for installation inside any third-party hardware.

Features:


- Credit card size for easy installation in any hardware
- Supports more than 120 brands of dispensers and meters
- Supports more than 45 brands of ATG systems and probes
- Supports simultaneous operation with up to 50 dispensers/meters, up to 50 tanks, up to 50 RFID tag readers, up to 5 price boards
- Built-in web-server for monitoring, configuration, reporting and control
- SSL/TLS layers for secured communication
- GPS module for location tracking at installation on fuel delivery trucks
- Communication interfaces: RS-232, RS-485 and Ethernet
- Rich set of interface converters
- Automatic operation with storage of pumps sales, tanks measurements and GPS records to local database
- Automatic connection to a cloud server and data upload
- Cost effective



Benefits:

- Able to work automatically standalone without POS, or be controlled by POS or work in parallel with existing POS
- Can be installed inside dispensers and ATG consoles (for reconciliation and automatic tanks calibration)
- Provides easy way to make mobile app connect to dispensers and ATG consoles in parallel with local POS
- Built-in web-server provides easy control and reporting over pumps and tanks even from your mobile phone
- Automatic upload of pumps sales and tanks measurements to remote server for reporting and analysis

Scheme of connections:



Technical characteristics:

- **Power supply:** 12 V DC, 700 mA max
- **Local storage:** microSD card (up to 32 GB)
- **Overall dimensions:** 85 x 58 x 30 mm
- **Weight:** 0.150 kg